



**FLOOR COVERING INSTALLATION &  
CONCRETE SURFACE PREPARATION EQUIPMENT**

## **SURFACE PREPARATION..... PAGES**

Floor Machines .....	1
Floor Machine Accessories.....	2-3
Diamabrush .....	4
Vacuums/Dust Collectors.....	5
Hand Tools.....	6
Chemicals.....	7

## **FLOOR STRIPPERS**

Bronco.....	8
Heavy Duty Strippers & Blades.....	9

## **MOISTURE/PH MEASUREMENT**

Delmhorst.....	10
Protimeter .....	11
Calcium Chloride Moisture Test Kits.....	12
Other Meters & Gram Scales.....	13

## **MATERIAL HANDLING**

Unilift, Mule & Carpet Cart.....	14
----------------------------------	----

## **CARPET INSTALLATION**

Seaming Irons, Knee Kicker & Accessories.....	15-16
Pouches, Brooms & Straight Edges .....	17

## **LINOLEUM & VINYL**

Accutrak/Mozart Tools .....	18
-----------------------------	----

## **WOOD & CERAMIC**

Wood/Ceramic Doctor & Other Wood Tools.....	19
---	----

Scan for More  
Information



**#485.17**  
**17" Extreme Machine Grinder**

With cast aluminum base, this rugged buffer shrugs off the abuse of grinding, scarifying and sanding concrete. Some of the key features and benefits of this machine include a solid steel gearbox coupler system with cast aluminum motor cover, dual safety switch levers and an oversized handle tube. An optional 40 lb. weight kit and dust shroud are also available.



**#491.17**  
**17" Floor Prep Plus Grinder**

The 491.17.00 floor machine is a dependable, quality grinder at a price you can't beat. The second generation Floor Prep Plus grinder is now all steel construction with a myriad of features including a Triple-planetary gear box.



**#483.17**  
**17" Commercial Buffer**

Ideal for light duty applications such as floor scrubbing and finish stripping, the Commercial Buffer combines loads of power, terrific features at a great price.



**#485.17.TG**

**#485.17.TG**  
**Extreme Machine with Torque Guard**

**#491.17.TG**  
**Floor Prep Plus with Torque Guard**

The #485 industry workhorse Extreme Machine and economical #491 Floor Prep Plus are also available with integrated Torque Guard™ from Taylor Tools.



Patent #20200158282

**TG.2000 Torque Guard**

The Torque Guard is a patented safety torque overload device designed for buffers and grinders which can sense the initial impact of an obstruction and within a millisecond automatically cut the power to the machine without any operator input. Works with standard 110v outlets.





Scan for More  
Information

## EZ Scrape Carbide Blades

### #470.15.00 Deluxe Carbide Blades

Carbide replacement blades for the EZ Scrape don't get any better than these high pressure blades that are guaranteed to stay sharper and last far longer than any other blades on the market.

### #470.15B Standard Carbide Blades

If initial cost is a major consideration, you can't go wrong with these standard grade carbide blades at a very modest price.



#470.15.00



#470.15B



#471



#470



#470.04A

## EZ Scrape

### #471 - 15" Disk for 17" Machines

### #470 - 17" Disk for 19" & 20" Machines


Removes cutback, multi-purpose adhesives and other hard-to-remove floor residue quickly and easily. No chemicals or disposal issues. The EZ Scrape is a dry removal system. Removes: Paint, Cured Adhesives, Rubber Padding, even Urethane Adhesives.

The EZ Scrape is supplied with a plastic clutch plate for use on standard buffers. An optional aluminum clutch plate is available for use on heavy duty buffers such as the Taylor Tools Extreme Machine #485.17 if preferred. Use of the aluminum clutch plate on a standard duty commercial buffer with an EZ Scrape may cause damage to the machine and will not be covered under warranty.

### #470.04A Aluminum Clutch Plate



Scan for More  
Information




## #485.MH Multi-Head

Comes with six 4" dia. x 1/2" thick velcro pads. (#485.1602)

### ATTACHMENTS FOR MULTI-HEAD




## #485.1659 Mounting Plate for Blue Diamond Cup [5/8" Male]



## #485.1610 1/4" Titan Puck

For surface profile and adhesive preparation. Removal of rubber padding. Attachment: Bolt on



## #485.1602 1/ 2" Replacement Velcro Pad



## 485.30 4" 30 Grit Diamond Plate

For sanding and concrete removal.



## #485.1617 Blue Diamond Cup 4" 30-grit diamond plate.

For grinding and concrete removal. Attachment: Mounting Plate




## 485.1618 "Red Devil" 4" 30 Grit Diamond Plate

For grinding and concrete removal.

## #485.17.651 Weight Attachment

Adding this additional 40 lb weight to your buffer (Extreme Machine or Floor Prep Plus) provides extra downward force to let your machine really dig into those hard-to-remove accumulation spots. Virtually double the production of any attachment.



## #485.17.DC.R Floating Dust Control Ring

Fits on all of the Taylor Tools 17" machines and will instantly convert your machine to dust free operation when attached to a proper vacuum system, (removal of the grey bumper is required to install the dust control ring). The Commercial Buffer (part #483.17) will require the addition of a vacuum port (part #485.17.DC.1-1/2).



## #485.17.11 Pad Driver For 17" Floor Buffing Machines

The molded polymer pad face has hundreds of individual hooks that grip into the threads of a floor pad and hold it securely while operating. The solid block includes a built-in riser and holes allow use with solution dispensing machines.



## #485.17.10 Sand Paper Driver [for 17" Extreme Machine]

This driver is made from a plastic one piece block. A 3/8" foam pad and stamped metal centering device provide the holding power. Universal Clutch Plate to fit most machines.



## #485.17.1296 Double-Sided Titanium Shredder

This tough attachment is virtually indestructible and has 10 grit on both sides. (Requires a sandpaper driver)





Scan for More  
Information



## Concrete Removal and Prep Tool

Grind concrete with your standard duty floor buffer (200 rpm max), without fear of damaging your machine. Because the direction of rotation pulls the diamonds across the surface, danger from catching on a crack or expansion joint is eliminated.

- DB.CNC.13.100** 13", 100 Grit for 15" Machines
- DB.CNC.15.100** 15", 100 Grit for 17" Machines
- DB.CNC.16.100** 16", 100 Grit for 17 & 20" Machines
- DB.CNC.17.100** 17", 100 Grit for 20" Machines



## Concrete Prep Plus

The Concrete Prep Plus is the answer for coating removal on porous, rough concrete surfaces where you can't use an EZ Scrape. The aggressive metal backed diamonds attack cured coatings on rough surfaces. It can even be used on standard buffers without fear of breaking the drive pin. Grinds faster and lasts longer than standard tool.

The 25 grit Concrete Prep Plus leaves a 25 grit profile on concrete which is sufficient for application of most epoxy and painted coatings.

Hearing protection is required when using this attachment.


- DB.941601202** 16", 25 Grit for 17" Machines
- DB.941601222** 16", 100 Grit for 17" Machines



## Hardwood Tool

You can use your standard duty floor buffer (200 rpm max), without fear of damaging your machine. Because the direction of rotation pulls the diamonds across the surface, danger from gapped boards or cut outs such as heater vents catching the tool are eliminated. Diamonds are 50 grit and used primarily to remove hard surface finishes. Subsequent sanding should start at 60 grit or coarser.

- DB.HDW.15.50** 15", 50 Grit for 17" Machines
- DB.HDW.16.50** 16", 50 Grit for 17" & 20" Machines



## Mastic Tool

Removes stubborn coatings such as tile glue, mastic, thin set, thin mil epoxies, urethanes and paint. You can use your standard duty floor buffer (200 rpm max), without fear of damaging your machine. Because the direction of rotation pulls the diamonds across the surface, danger from catching on a crack or expansion joint is eliminated.

- DB.MAS.15.25** 15", 25 Grit for 17" Machines
- DB.MAS.16.25** 16", 25 Grit for 17 & 20" Machines
- DB.MAS.17.25** 17" 25 Grit for 20" Machines

## Hand Tools

Simple to use and easy to maneuver, Diamabrush Hand Tools require very little pressure, avoiding unwanted ridge marks left in the concrete by other diamond tooling.

- DB.9204501202** 4.5" Diamabrush Removal Hand Tool
- DB.9207001202** 7" Diamabrush Removal Hand Tool
- DB.FH.45HTSHROUD** 5" Diamabrush Dust Shroud
- DB.FH.70HTSHROUD** 7" Diamabrush Dust Shroud



**DB.9204501202**



**DB.9207001202**



**DB.FH.45HTSHROUD**



**DB.FH.70HTSHROUD**

Scan for More  
Information



## VACUUMS/DUST COLLECTORS

If your jobs involve concrete grinding and surface preparation, chances are that you are aware of the updated OSHA standard 1926.1153 on silica dust containment which is intended to help protect workers from exposure to respirable crystalline silica. This standard specifically defines stringent requirements for vacuum dust collection systems to be used in conjunction with concrete grinding work. OSHA requires you to use a high-efficiency particulate air (HEPA) filter that is at least 99% efficient in removing mono-dispersed particles. Taylor Tools line of Extreme Dustmaster dry vacuums meets and exceeds OSHA's new standards.



#EDC.290



#EDC.400



#EDC.75.20

### #EDC.290 Extreme Dustmaster 10.5 Gallon Capacity Vacuum

### #EDC.400 Extreme Dustmaster Continuous Bagging System Vacuum

Both of the new dust collectors supply high performance HEPA filtration (99.97% of particles down to 0.3 Microns) and produce a powerful 280 CFM of suction at 110 volts AC with a 100% duty cycle. Each steel-constructed vac features a filter shaker system designed to constantly remove filter buildup. That means Taylor Tools dust collectors are made to operate all day long with consistent performance. Additionally, 32' of siliconized hose length - resistant to kinking and cracking - will help you reliably reach further into your job's square footage.

### #EDC.75.20 Extreme Dust Control Cyclonic Pre-Separator

No HEPA vacuum filter is immune to obstruction and clogging long term. But there are ways to extend the life of your filter. Positioned between the grinder and vacuum unit, the Extreme Dust Control Cyclone Separator is a key component of the Extreme Dust Control vacuum system.





Scan for More Information

## Contractor-Grade Spud Bar:

**#403 & 407**

The most powerful, efficient design at an economical price. Twice as heavy (16 lbs.) as standard spud bars and longer length for more power.

Blade holder design prevents build-up. These DURABLADE blades are 50% thicker than standard blades.

**Specifications:** **#403** **#407**

Blade Width:	3"	7"
Weight(lbs):	16	18
Length:	66"	66"

**Replacement blades:**

**#403.01** 3" x .083" Blade


**#407.01** 7" x .083" Blade




## LockJaws



**#200**



**#202**



**#203**

## LOCKJAWS

**#200 Lockjaw**

**#202 Double Lockjaw**

**#203 Triple Lockjaws**

1 or 2-man carpet clamp that takes a bite out of the biggest jobs. Lockjaws feature stainless steel teeth that really lock onto the carpet and a wide cushion-handled grip that lets a couple of guys really put some muscle into a big tear-up. You can even hook Lockjaws up to a winch.

For even greater holding power when removing carpet with a power winch, purchase ready-made double and/or triple Lockjaws.



## Deluxe Carpet Clamp #824

The Deluxe model features all cast aluminum construction which makes it a much more durable clamp because there are no welded parts. [1.5 lbs.]



## Standard Grade Spud Bar:

**#303 and #307**

## Standard Spud Bar with Leverage

**Handle #303.03 and #307.07**

For those difficult hand stripping jobs, here is a real heavyweight floor scraper with a long life. These all-steel spud bars feature .062" Durablades and a comfortable shovel handle.


And for even easier and more effective use, you can order both 3 1/2" and 7" spud bars with a unique, adjustable leverage handle. The optional handle (#308) can also be purchased separately to modify our other spud bars.

<b>Specification:</b>	<b>#303</b>	<b>#303.01</b>	<b>#407</b>	<b>#407.03</b>	<b>308</b>
Blade Width:	3.5"	3.5"	7"	7"	--
Weight(lbs):	9	10.25	11	12.25	1.25
Length:	57.5"	57.5"	57.5"	57.5"	57.5"

**Replacement blades:**

**#303.01** 3 1/2" Blade

**#307.07** 7" Blade



Scan for More  
Information



## OIL-FLO™ 141

### Oil Flo 141

There's nothing else like this terrific, water-soluble solvent cleaner. It quickly and easily dissolves many hard-to-clean organic stains and substances including urethane adhesive - even cured urethane!

Biodegradable Oil-Flo 141 is colorless, non-foaming, with a neutral pH, low odor and a high flashpoint (over 141° F). Contains no chlorinated solvents or CFC's.

Can be shipped by air.

### Quickly and Easily Removes Hot Melt Adhesives!

Oil-Flo 141 does a spectacular job of removing hot melt adhesive and residue (even hot melt used to bond tackstrip and metal) from wood, carpet and other finished surfaces.

#### OIL-FLO 141 dissolves:

- cured urethane adhesive
- hot melt adhesive
- mastic adhesive
- asphalt
- coal tar
- cosmetics
- cutback
- graffiti
- grease
- chewing gum
- latex
- oils
- resins
- sealcoat
- tape residue
- waterproofing
- window caulk
- inks
- permanent marker
- tar



Oil Flo Part No.	Description	Pk.	Wt. (lbs)
14012	1 Pint Bottles	12	1
14004	1 Gallon Jugs	4	8
14005	5 Gallon Pail	1	45
14055	55 Gallon Drum	1	470



### CS-22 Cleanup Solvent

CS-22 is a fast-drying liquid with a multitude of uses.

**Removes:** adhesives black marks fingerprints oil and grease

**Use on:** carpets wood vinyl clothing vehicles painted surfaces wallpaper

CS-22 is non-flammable, with much less odor and is also packaged in a safer, more convenient container. CS-22 dries quickly with no residue and does not need a water rinse.

Ground shipment only. \*Not available for sale in CA\*

CS22 Part No.	Description	Pk.	Wt. (lbs)
22012	1 Pint Bottles	12	1
22112	1 Quart Bottles	12	1.75
22004	1 Gallon Jugs	4	8
22005	5 Gallon Pail	1	45
22055	55 Gallon Drum	1	470



Scan for More  
Information



At 300 to 400 surface feet/minute, Broncos have more than twice the removal rate of competitive machines.

For the first time, removal rates are not dependent on a machine's sheer size and weight. The Bronco equals or outperforms those large, heavy, expensive, awkward machines but comes in a small, compact size.

Small, but powerful, the Bronco is easy to transport in a standard garden trailer or pick-up truck rated 3/4 ton or heavier, when loaded and unloaded with a forklift. Only 29" wide, the Broncos fit in passenger elevators and through doorways making it ideal for residential applications.

The adjustable Power-Glide articulating suspension system keeps the blade engaged at all times. This technological breakthrough means that we don't have to add extra weight just to keep the blade engaged. And that means we can keep the Bronco reduced in size with a smaller motor. And yet there is no sacrifice in removal rates. The Bronco is still the fastest machine available today.



Patent Pending

## #260B.HL

### Hybrid Optimum Bronco

Combining speed and power with a longer lasting battery charge, you get arguably the fastest, most efficient and cost-effective battery operated floor removal machine on the market today.

- 4-8 Hrs. Battery Operated / 110V Cord-Powered / or Both, It's Your Choice!
- Fast, Convenient, On-Board Charging System!
- Cord-Power Plus A Fully Charged Battery Provides
- 24 Hrs. of Continuous Operation!
- Powerful...Strip Up To 15,000 Sq. Ft. Per Charge!



Patent Pending

## #260P.G2

### Propane-Powered Bronco

The fastest, most maneuverable ride-on floor stripper on the market today (up to 450 surface feet per minute), is also now the easiest machine to service and maintain.

The new Bronco 260P.G2 stripper has been redesigned to include a more powerful battery and redesigned control levels with milled high strength aircraft aluminum and steel components.

Additionally, we made some enhancements to the G2 to make it easier to service and maintain:

- External Oil Check and Dipstick
- Externally Mounted Air Filter
- Easily Accessible Battery and Jump Contacts



Scan for More  
Information



## #464R with Quick Reverse Control

The #464R has a quick reverse control lever to be used at the end of a cut or to reposition the machine. Built around the trouble-free, quiet Model #462 heavy duty stripper design, this incredibly powerful #464R machine can quickly and efficiently tackle the most difficult removal jobs - with little or no strain on the operator.



## #462 Heavy Duty Stripper

Super quiet, incredibly effective and practically maintenance free year after year. The rental proven design is longer lasting and quieter than the newer machines that have come on the market. That is why we give a 3-year limited warranty for the entire front-end assembly. The 2200 strokes a minute belt driven action and heavy gauge steel construction reduce wear on the moving parts for lower maintenance costs, fewer replacements, and quieter operation.



## #HF1000 Floor Stripper

The #HF1000 Flooring Stripper from Taylor Tools is a lightweight, portable machine ideal for removing carpet, vinyl, linoleum, carpet under pad and old glue.



## #264 Top Cut Saw

The safer, quicker, more effective way to cut relief joints for wood flooring take up jobs

- Saves time, money...and knees
- Safer than traditional circular saw
- Limits generation of airborne dust



## STRIPPER BLADES

Durablade with DYNALLOY

People love the legendary Taylor Tools Durablade brand stripper blades that were developed over 30 years ago and have withstood the test of time and competition. Why are they so popular you might ask?

Durablades comprise the unique combination of high strength and extreme flexibility. These traits allow for longer blade life and improved efficiency. The blade's flexibility ensures regular contact with the floor and minimizes the need for re-scrapes.

Durablades have sold standard with Palmer, Sinclair and Taylor Tools walk behind strippers as well as Taylor Tools Bronco ride on strippers. They're a hallmark of both the flooring and equipment rental markets and people know them by name.

Durablades come from US-manufactured steel that is sourced domestically, milled, cut punched and sharpened in our plant in Denver, Colorado.


Now you can buy the same great quality blade..proudly made in the USA..that's compatible with Crain and Wolff walk-behind stripper machines\*...and at a GREAT price!

Check out our website to find a Durablade that best fits your needs. And ask your distributor or reseller for them by name!

\* Crain is a registered trademark of The Crain Cutter Company with whom Taylor Tools is not affiliated

\* Wolff is a registered trademark of Uzin Utz NA with whom Taylor Tools is not affiliated

Scan for More  
Information





Scan for More Information



#DI.2000



#DI.BDX20



#DI.BDX30



#DI.TECHSCAN



#DI.2100



#DI.J2000



#DI.500



#DI.HT3000

## #DI.2000 Delmhorst Totalcheck Kit

Offers scan and pin moisture modes as well as a thermo-hygrometer that measures ambient temperature and relative humidity (RH) and calculates dew point and specific humidity (GPP).

## #DI.2100 Moisture Meter

The DI-2100 is great for measuring moisture in a variety of different building materials, including wood, concrete, drywall, EIFS, roofing, insulation, and flooring. The BD-2100 has a digital display, an adjustable alarm, and Delmhorst's exclusive calibrated drywall scale.

## #DI.J2000

### Wood Moisture Meter With Case

## #DI.J2000

### Wood Moisture Meter With Hammer Probe

For flooring contractors, woodworkers, furniture manufacturers, QC inspectors and small mills, the J-2000 helps to keep up with ever-changing job conditions. With built-in wood species correction and temperature correction, along with storage and informative reading statistics the J-2000 is an extremely versatile tool at a great value.

## #DI.500 J-Lite Moisture Meter

The J-Lite is a moisture meter for wood that has a simple, easy-to-read light-up display that's perfect for newbies and experts alike.

## #DI.BDX20 Moisture Meter

The BDX-20 is the newest in the legendary "BD Series" pin meters for the building trades. This rugged meter has an ergonomic design with an easy grip handle and large tactile buttons for comfort and usability. Equipped with a custom, LCD display and intuitive user interface, users can quickly obtain accurate readings.

## #DI.BDX30 Moisture Meter

The powerful BDX-30 brings all the design elements and functionality of the BDX-20 and introduces Bluetooth® integration to the Navigator family with the Delmhorst EDGE™ app.

## #DI.TECHSCAN Surface Meter

A fast and accurate pinless wood moisture meter that provides non-destructive testing with an easy-to-read analog display that's ideal for use by contractors, mill operators, and others.

## #DI.HT3000 Ambient Relative Humidity Meter

The DI.HT3000 is a great meter for monitoring the level of humidity in flooring installations, building inspections, restoration jobs, and even agriculture operations. With a simple interface, fast acclimation, and useful statistics like dewpoint and grains per pound, the DI.HT3000 is a great value at an economical price. Use the HT-3000 in conjunction with a moisture meter for a thorough assessment of every job.

Scan for More  
Information



##P8800.FL.KIT

## #P8800.FL.KIT MMS2 Flooring Kit

The Protimeter MMS2 Flooring kit IS A multi-function moisture meter with the most innovative humidity sleeves system available.

MMS2 Flooring kit has been developed to meet the ASTM F2170 standard for in situ humidity test in concrete. Included is the multi-function Protimeter MMS2 that also allows rapid evaluation of the slabs moisture level.

### Measurements Include:

- In situ relative humidity and temperature - required for ASTM F2170 standard.
- Relative humidity and temperature in the ambient conditions - required for ASTM F2170 standard.
- Surface temperature - required for ASTM F2170 standard.
- Noninvasive instant moisture evaluation used prior to in situ RH moisture test.
- Pin type moisture measurement, evaluating wood floor materials.
- Data logging.

## #P5702 Digital Mini Pin-Type Moisture Meter

The Protimeter Mini can be used for making rapid moisture assessments in a wide range of building materials including wood, masonry, drywall, plaster and concrete. The instrument measuring pins are small and sharp which means measurements can be taken at the surface with virtually no mark left behind.



#P5702

#P5760



## #P5760 Aquant Surface Meter

The Protimeter Aquant (non-invasive) is the sister product to the Surveymaster and helps you locate moisture quickly in a wide range of materials with a RF measurement system unique to the Protimeter. This system allows you to detect moisture up to ¾" (20mm) below and behind the surface in the most efficient way possible.



#P5365

## #P5365 Surveymaster

The right moisture meter makes all the difference! And we've made even more improvements to enhance the Protimeter Surveymaster. This versatile pin and non-invasive moisture meter is ergonomically designed for easy, one-handed operation to measure moisture in buildings, and other related structures, both on and below the surface. This allows you to assess moisture levels for both new and refurbishing activities, as well as to diagnose moisture-related problems in existing buildings. All Protimeter instruments have a two-year warranty.

## #P5777 Reachmaster Pro

The only moisture meter with a telescoping handle -- which extends up to 48" (122 cm) -- the ReachMaster Pro lets you inspect those hard-to-reach spaces without additional effort.

The ReachMaster Pro lets the user easily zero-in on problem areas -- optimizing home inspections or floor damage repairs. The device features adjustable sensitivity, allowing for customized surveying to the material being inspected. A pinless moisture meter, the ReachMaster Pro can take readings from a surface to a nominal depth of 5" (12.5 cm), creating a moisture profile for a volume of material.







Scan for More Information



## #625 Calcium Chloride Moisture Test Kit

First developed by the Rubber Manufacturers Assn. Inc., the Calcium Chloride Moisture Test Kit accurately measures the amount of moisture (in lbs.) coming through the slab over a 1000 sq. ft. area during a 24 hr. period. For many manufacturers of flooring materials, it is the only acceptable method of testing for moisture. Very inexpensive. Weighs 1 lb.

To calculate your test results, use our accurate online calculator at [taylortools.com/calculator](http://taylortools.com/calculator)

## #625B

The most economical way to buy CaCl test kits. Each box includes 50 domes and test dishes, 1 ea. instruction sheet and log sheet.



## #625.00.POP

Budget-priced version of the #625 Calcium Chloride Moisture Test Kit, specifically packaged for display sales.

## #625.POP.VP

Lowest priced kit. Includes 3 calcium chloride tests and two pH tests.



Scan for More  
Information



\*Actual product may vary

## #626 Moisture Test Kit Gram Scale

Use to confirm your pre-weight and weigh the Calcium Chloride after exposure. Then do the calculations and send the sample back for free confirmation documentation and archival service of your test.



## #625.HT Humidity/Temperature Pen

Measures both ambient humidity and ambient temperature in one instrument. Ambient humidity and temperature readings are required information when testing for moisture in concrete slabs, [calcium chloride or relative humidity testing].



## #625.CALC Pocket Calculator

Do you want to do your own moisture calculations but HATE MATH?

Ask your Taylor Tools distributor for one of our handy 625.CALC pocket calculators.

Just line up the test duration with the gain in weight and you'll instantly see your results.

OR..

Try our fast, accurate online calculator at  
taylortools.com/calculator

## #626.MPB

The #626.MPB is fully compliant with ASTM-F-1869 and features a protective cover and a super-bright backlit LCD display which retracts into the instrument for increased protection and portability.


## #PH.100 PH Meter

Make quick, precise pH readings of concrete and carpet surfaces with the PH.100's surface contact probe.

Note: The PH.100 does not accommodate the PH.500 extension cable.

### CALIBRATION SOLUTIONS FOR PH METER

Solution	Part No.
Rinse	#625.06.PK
pH 4.01	#625.06.04
pH 7.00	#625.06.07
pH 10.00	#625.06.10



### Concrete Moisture Emission Calculator

**1. Enter the gain in weight (grams) weight gain**

**2. Enter the number of hours exposed (example: 64.25 hours)**

**3. HERE ARE YOUR RESULTS**  
(lbs. of moisture emitted over 1000 sq. ft. in 24 hrs.)

Note: This on-line calculator has been developed exclusively for use with Taylor CaCl Test Kits. Any other moisture test kits will yield inaccurate results.



Scan for More  
Information



## #600 Uni-Lift

The Uni-Lift turns any heavy object into an easy-to-move 4-wheeled cart without balancing or tipping. Strap a pair of Uni-Lifts onto a heavy object, push the lifting lever, and one person (man or woman) can easily move desks, appliances, machinery... up to 800 lbs. Featuring the patented Sta-Tite belt tightener, large 3" casters and rubber bumper guards, the Uni-Lift quickly and efficiently solves your heavy lifting and bulky moving problems. Comes with attached 1 ft. strap w/buckle and 11 ft. strap w/o buckle plus an extra 7 ft. strap w/buckle.

## #505 The Mule

The Mule is more compact, lighter and more maneuverable than other carts and it costs less. Yet, it can carry 1,000 lbs., can be hand carried and is easily stored because of its compact size.



## #500.03.NF No-Flat Tire

Install on your Carpet Cart or Mule Cart and eliminate flat tires forever! Same Load Rating as standard pneumatic tires.

## #500 Carpet Cart

Large 16" pneumatic tires and a heavy gauge tubular steel frame provide a 1,000 lb. capacity for easy carpet and padding handling.





## #893 Seam Weld Iron & #893L Iron With Led Handle Light

SEAM SEALING & SEAMING..Much Easier and Faster Than a Glue Gun Tip!

Throw that glue bottle away and meet the future of carpet seaming. The patented 1-Step Seam Sealing and Seaming System from Taylor Tools not only drastically reduces installation time, it results in a better, stronger seam.

The 1-Step Seaming Iron's unique welding head applies a precise amount of hot melt adhesive to the carpet seam edges, locking in the face yarns while simultaneously welding the seam together.

The result? A joint that is actually stronger than the rest of the carpet with a seam that will remain flat even after stretching with virtually no seam peaking.

Instruction in the proper procedure is required for optimum results. Call, write or visit the Taylor Tools website for more information.



## #890 Taylor Iron & #890L Iron With Led Handle Light

Many of the features on our #893 Tru-Trak Seam Welding Iron have proven so popular that we've incorporated them into our standard irons. Now the best conventional irons on the market are better than ever.

Features:

- Nap spreader allows you to inspect the alignment of the carpet backing as you're making the seam.
- All Taylor Premium Seaming Irons include a powerful, new 900-watt heating element and a 24' cord.



## #790 Conventional Iron & #790L Iron With Led Handle Light

Now you can get a quality iron at a budget price. These irons include such features as a 900 Watt heavy-duty heating element for fast heat-up, a 5-setting thermostat and a fully grooved base. Both irons come with a heavy-duty iron tray, a 12' power cord (also available with a 24' cord) and a 90 day limited warranty.



Scan for More Information



## #325 3" & #326 6" Universal Teflon Carpet Guards

The most effective way to properly reduce excessive heat reaching the carpet backing. Fits most irons sold today.



If you can't touch the top of your iron without burning your fingers, can it really be safe enough for those heat sensitive carpet backings?

## CARPET SEAM ROLLERS

### #888 4" Seam Roller & #889 6" Seam Roller

Rolling the spiked wheels of the Seam Roller over heat bond seams increases the transfer of the hot melt adhesive to the carpet backing thereby improving the strength of the seam. This action also enhances the appearance of the carpet at the seam. For use on loop pile carpets.




### #888S 4" Smooth Seam Roller & #889S 6" Smooth Seam Roller

New smooth roller surface is now required for plush carpets. Won't leave tractor marks. Can be used on all carpet styles.



## #800.16 Kicker Pick/Row Tracker

One end of this unique tool has a series of blades specially designed for fast, easy cleaning of your stretcher and kicker heads including Sharkteeth. The other end traces factory rows on a wide variety of carpet styles.



## #800.17 Adjustable Kicker Pick/Row Tracker

Adapt this versatile new version of our popular row tracker for any type of carpet. The tip can be adjusted to give various degrees of row spreading. The other end contains blades for fast, easy cleaning of stretchers and kicker heads.



Scan for More Information


## #808 Deluxe E-Z Tuck

Get rid of your other tucking tools and install carpet 20% faster with the versatile E-Z Tuck. The Deluxe E-Z Tuck has a permanently lubricated bearing which creates a smoother action and eliminates wear on the wheel.



## #825 Deluxe Knee Kicker

The #825 Deluxe Knee Kicker features the widest head, the largest bumper pad and one of the longest extensions of any kicker on the market. This combination allows you to move more carpet with every kick. The rubber bumper and hand grip also make the #825 Kicker the most comfortable one to use.



But the biggest advantage this kicker has is the unique, hardened stainless steel saw tooth blades which let you really bite into the carpet and at the same time prevent the kicker from clogging up with yarn fibers and scuffing the carpet face like worn out staple nap grips.

## #800.15 SharkTeeth

The overwhelming success of the stainless steel tooth plate on our #825 Deluxe Knee Kicker led to the development of SHARKTEETH. These hardened stainless steel blades replace wimpy wire staples on any single screw nap grips. 5 times longer lasting, the long pins penetrate deep into pile to positively grab all carpet types.



## #737 Stretcher Hook

The popular #737 Taylor Stretcher Hook is now better than ever. An internal spring gives under extreme pressure to reduce the chance of broken prongs. A set screw in the base allows installers to adjust the release pressure.



This innovative, lightweight (1.5 lb.) tool stretches from the floor, not from the wall, so you can eliminate tubes, tailblock assembly and carrying cases. All you need is the #737 Stretcher Hook and stretcher head.

Caution: This tool can only be used on carpets that have the manufacturer's approval. This tool will damage the floor surface under the carpet. Installers should not use on hardwood floors.

## #870 Concrete Nail Driver

Sink concrete nails with a single blow from a standing position with the incredible #870 concrete nail driver.

No misses and no damage to walls resulting from misses because the outer tube (sleeve) guides the inner tube or mallet in the striking sequence - saves fingers and base boards.

The Driver also features a replaceable magnetized tip for locating and holding loose nails and a convenient handle for installation flexibility.



## GLUE STICKS

### #887.01 4" Glue Sticks (30/bag)

### #887.10 10" Glue Sticks (12/bag)

Also available in 25 lb. boxes

Special Taylor formula minimizes fiber and backing distortion. Anti-oxidants reduce degradation, yellowing and hardening from U.V. exposure. Includes a fluorescent material that reflects "black" light for easy seam inspection. Fits all 1/2" glue guns.



## CARPET REPAIR TIPS

### #886.05 Micro Repair Tip

### #886.06 High Flow Repair Tip

### #886.093.CP Carpet Piercing Tip



#886.05 & #886.06



#886.093.CP

## #885 Heat Gun

Adjustable air intake regulator provides temperatures from 500°F to 1000°F. Replaceable brushes and Quick Change heating element extends life and eases servicing. Weight: 2 3/4 lbs. including stand. 115V, 15 amp., 27 cu. ft./min air flow.



Scan for More  
Information



## Tool Pouches

All our tool pouches are made of top quality grain leather and are constructed to withstand rugged use day in and day out.

**#816**   
Knife pouch

**#812**   
Box with pocket flap.

**#813**   
Flared shape, single pocket pouch with pocket flap.  
4 1/2" x 7 1/2" overall size.

**#814**   
Same as #813 without pocket flap.

**#815**   
Five (5) pocket box shape pouch features one large main pocket plus two smaller pockets. Also has two (2) tapered holders.  
6 1/2" x 7" x 1 1/2" overall size.

**#M.20.060**  
Mozart Trimmer pouch.

## BROOMS

### #315 18" Broom With Handle

Polystyrene bristles with split tips give our brush and broom better sweep action, more durability, better fiber bend recovery and at a far lower cost than horsehair models.

The broom comes with a 5' wooden handle and support hardware. The bristles are 3" long with a brush face of 18" set in a clear lacquer hardwood block.

### #314 24" Broom With Handle

For those who like a wider sweeping action. Features 3" flagged plastic bristles set in clear lacquer hardwood block. Comes with 5' wooden handle. Weighs 3 lbs.

### #310 Counter Brush

Brush bristle length is 2 5/8" long with a 9" face set in a clear lacquer hardwood block.



## ALUMINUM STRAIGHT EDGE

**#904 [36"]**

**#906 [75"]**



Anodized finish protects against damage. Nail hole at one end and 45° mitre at the other.





Scan for More  
Information



## #380 Accutrak Groover

For fast, efficient installation of parquet, laminate, cork, melamine and hardwood. Combines shunting and hammering. No damage to tongue and groove. Includes new swivel head.

- Unique design lets you view the blade as it's cutting.
- Loosen head screw to adjust or replace blade.
- Set screw allows adjustment and replacement of rear blade.
- Rear blade allows cutting right up to the wall.
- Guide roller with built-in bearing ensures straight cuts. Easily removes for cutting curves.
- Adjustable front plate for precise cuts or high speed grooving.
- Guide keeps tool properly aligned in seam.



## #M.1600.00

### Skiving Knife/Weld Rod Trimmer

Skiving Knife with replaceable razor-sharp blades and trim guides. Trims the heat weld rod flush at the seams.



## #M.20.060

### Trimmer Pouch



## SPACER CLAWS

### #M.8679.000

#### .5 MM Spacer Claw

### #M.8700.000

#### .7 MM Spacer Claw




Scan for More  
Information



## #375.03 Power Shunting Device

For fast, efficient installation of parquet, laminate, cork, melamine and hardwood. Combines shunting and hammering. No damage to tongue and groove. Includes new swivel head.



## #TAP.1000 Tapper Tool

The patented #TAP.1000 has redefined the wood floor installation process. Gone are the days of countless hours on your knees with a tapping block and mallet.

The Tapper Tool allows you to quickly, safely and efficiently hammer in tongue and groove wood floors mechanically in a fraction of the time. It's also great for lace-in work. The Tapper Tool is 3 simple components, that attach to any standard SDS drill.



## #435 Flooring Nailer Mallet

The #435 Rubber Flooring Mallet features a lightweight fiberglass handle and a white no-mar rubber head, making it ideal tool for installing both prefinished and unfinished flooring. Use the mallet to tap your flooring into place without fear of scratching or denting your new floors.

## WOOD/CERAMIC DOCTOR

### #WD.911 Wood Doctor #CD.911 Ceramic Doctor

The kits repair wood, laminate, ceramic, and vinyl flooring. The professional flooring kit enables the Installer to repair most damages to wood, laminate, ceramic, and vinyl flooring while on the job site. The kit contains 16 assorted Hard Wax PLUS fill sticks, 3 fine tip Graining Pens, Clear Lacquer Marker, Hot Knife, Special Applicator, Scraper, and Scotch Brite Pad.



#WD.911



BEFORE



AFTER



#CD.911



## NOTES:

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





*Getting it Done!*



**Distributed By:**



**A Division of Roofing Equipment Inc.**

**5045 Paris Street, Denver, Colorado 80239  
PHONE 303.371.7667 | FAX 303.371-7669  
[www.TaylorTools.com](http://www.TaylorTools.com)**

**©Roofing Equipment, Inc.  
Denver, Colorado USA 2017. All rights reserved.**